

The logo for the Pennsylvania Perinatal Quality Collaborative (PA PQC) features the letters 'PA' in white on a blue background that includes a silhouette of the state of Pennsylvania. To the right of this are the letters 'PQC' in a solid blue font. Below the logo, the full name 'Pennsylvania Perinatal Quality Collaborative' is written in a red, sans-serif font.

PA PQC
Pennsylvania Perinatal Quality Collaborative


PA PQC Learning Collaborative Session
June 11, 2020

Housekeeping Reminders

Open the **Participants List** and Use the **Raise Hand Button** to request to be unmuted.

OR

Open the **Chat Panel** and send questions to "All Participants."



The screenshot shows a meeting control bar with several icons: a hand (Raise Hand), a checkmark, a red X, a person with a slash (Mute), a person with a slash and a plus sign (Unmute), and a smiley face (Reaction). Below these is an 'Audio' button. To the right is a 'Chat' button with a dropdown arrow. The dropdown menu is open, showing a list of recipients: Host, Presenter, Host & Presenter, Host, Presenter & Panelists, All Participants (highlighted in blue), All Panelists, Robert Ferguson, and All Attendees. Below the list is a 'Send to:' dropdown menu currently set to 'Host' and a 'Send' button. At the bottom right, there is a 'Connected' status indicator with a blue dot, a lock icon, and the Cisco logo.

Welcome & Updates

Robert Ferguson, MPH, Chief Policy Officer
Jewish Healthcare Foundation

Thank You

National Registry for Surveillance and Epidemiology of Perinatal COVID-19

<https://services.aap.org/en/community/aap-sections/sonpm/>

Option 1: Submit data on mother/infant dyads in which the mother has active COVID infection at the time of delivery.

- [NPC19 Registry Protocol \(Active maternal COVID-19 at delivery\)](#)
- [IRB Approval Letter](#)
- [Data dictionary-active maternal COVID-19](#)
- [REDCap data entry form \(active maternal COVID-19 at delivery\)](#)
- [UF Confidentiality Agreement for Biologic Specimens and/or Data](#)

Option 2: Participate in the first option above and submit data on mother/infant dyads in which the mother has resolved her COVID infection by the time of delivery.

- [NPC19 Registry Protocol Expansion \(resolved maternal COVID-19 at delivery\)](#)
- [IRB Approval Letter](#)
- [Data dictionary- Resolved Maternal COVID-19](#)
- [REDCap data entry form \(resolved maternal COVID-19 at delivery\)](#)
- [UF Confidentiality Agreement for Biologic Specimens and/or Data](#)


COVID-19 Survey: Hospital Policies for Pregnant Patients

A DOH COVID-19 Health Equity Response Team has been created to address health disparities related to COVID-19 and to create statewide recommendations to ensure health equity.

Results of the survey will be utilized by a subgroup to inform recommendations on health equity for pregnant people and parents of young children.

Perinatal Quality Collaboratives (PQCs)

PQCs are networks of teams working to identify processes that need to be improved and quickly adopt best practices to achieve collective aims



The PA PQC was Built on Statewide Efforts

- Premie Network and AAP
- West Chester University Pilot Study with the Vermont Oxford Network (VON)
- PA PQC Task Force
 - Facilitated by March of Dimes
- PA PQC Advisory and Work Groups

The NEPaPQC is Part of the PA PQC



PA PQC Aims

- ✓ Reduce maternal mortality and morbidity
- ✓ Improve Identification of and Care for Pregnant and Postpartum Women with Opioid Use Disorders (OUD)
- ✓ Improve Identification of and Care for Opioid-Exposed Newborns (OEN)

The PA PQC Includes

65 birth sites and NICUs

2 new sites since March

87% of live births in PA


14 health plans

Welcome to New PA PQC Sites!



- Washington Health System
- St. Luke's University Health Network's Anderson

What it Means to be a PA PQC Site



PA PQC Statewide Achievements

PA PQC sites launched over 100 QI projects

- ✓ **35 sites** working on SUD QI projects
- ✓ **28 sites** working on NAS QI Projects
- ✓ **39 sites** working on Maternal Mortality QI Projects

OUD Preliminary Survey Results

Baseline compared to Jan-March

Process in place to provide ongoing SUD sensitivity training requirements for staff and providers

14% vs. 34%

Used a validated, self-report screening tool for substance use in pregnancy

34% vs. 69%

NAS Preliminary Survey Results

Baseline compared to Jan-March

Used standardized **pharmacologic** protocols for NAS
68% vs. 79%

Used standardized **non-pharmacologic** protocols for NAS
63% vs. 68%

PA PQC Data Portal Updates

[Tableau Dashboard](#)

Home Data Status Reports Change Password Admin Logout

Hospital Demo Hospital Date May 2020 Domain PQC: Neonatal Abstinence Syndrome Addition

PQC: Neonatal Abstinence Syndrome Additional Measures - Monthly Measure

- a) Number of who are treated with a nonpharmacologic bundle (numerator)
- b) Number receiving pharmacologic therapy (numerator)
- c) Number referred to follow-up services at discharge (numerator)
- d) Number of NAS cases (denominator)

Previous Domain Submit/Save/Recheck Next Domain

* Enter NA for not applicable, incomplete, or missing data

[Click for data portal technical issues/questions](#)
[Click to E-Mail about PAPQC Data Definitions](#)

[Privacy Policy](#)
[Terms and Conditions](#)

PQC: Neonatal Abstinence Syndrome Addition

- PQC: Maternal Mortality SMM - Quarterly (1Q=Mar, 2Q=June, 3Q=Sept, 4Q=Dec)
- PQC: Maternal Mortality: SMM - Annually (Enter data in last month of that year, e.g. Dec)
- PQC: Maternal Mortality Non-Transfusion SMM - Quarterly (1Q=Mar, 2Q=June, 3Q=Sept, 4Q=Dec)
- PQC: Maternal Mortality: non-transfusion SMM - Annually (Enter data in last month of that year, e.g. Dec)
- PQC: Maternal Mortality Additional Measures - Monthly
- PQC: Opioid Use Disorder - Monthly
- PQC: Opioid Use Disorder Additional Measures - Monthly
- PQC: Neonatal Abstinence Syndrome - Quarterly (1Q=Mar, 2Q=June, 3Q=Sept, 4Q=Dec)
- PQC: Neonatal Abstinence Syndrome Additional Measures - Monthly**
- PQC: IPLARC - Monthly

PA PQC Data Portal Updates

[Data Dictionary for OUD Measures](#)
[Tableau Dashboard](#)

Home Data Status Reports Change Password Admin Logout

Hospital Demo Hospital Date May 2020 Domain PQC: Opioid Use Disorder - Monthly

PQC: Opioid Use Disorder - Monthly

Measure	Entry
a) Women screened for SUD with a validated screen at any time during the pregnancy (numerator)	<input type="text"/>
b) Women with an OUD diagnosis at any time during pregnancy (numerator)	<input type="text"/>
c) Women with a delivery in the month (denominator)	<input type="text"/>
d) Women who filled a prescription for or were administered or ordered an MAT medication (buprenorphine or methadone) for OUD at any time during or after the pregnancy (numerator)	<input type="text"/>
e) Women with a delivery and OUD diagnosis in the month (denominator)	<input type="text"/>
j) Cumulative number of women who received a postpartum visit on or between 1 and 84 days after delivery (numerator)	<input type="text"/>
k) Cumulative number with a delivery at least 84 days ago who are diagnosed with OUD (denominator)	<input type="text"/>

Previous Domain Submit/Save/Recheck Next Domain

* Enter NA for not applicable, incomplete, or missing data

New Immediate Postpartum LARC Pilot!

**UPMC Horizon | St Luke's Anderson Campus |
Geisinger Medical Center**

1. Formed IPLARC Teams
2. Organizing PA PQC Policy Group on IPLARC
3. Holdings trainings in July with ACOG
4. Rolling out structures, processes, and skills to offer IPLARC

IPLARC Pilot Quality Measures

[Data Dictionary for OUD Measures](#)
[Tableau Dashboard](#)

Home Data Status Reports Change Password Admin Logout

Hospital Date Domain

PQC: IPLARC - Monthly

Measure	Entry
a) Number of LARC devices placed prior to discharge (numerator)	<input type="text"/>
b) Number of postpartum women (women aged 15-44 years who had a live birth) who desired IPLARC placement (denominator)	<input type="text"/>
c) Number of LARC devices placed prior to discharge for those with OUD (numerator)	<input type="text"/>
d) Number of postpartum women (women aged 15-44 years who had a live birth) with OUD who desired IPLARC placement (denominator)	<input type="text"/>

* Enter NA for not applicable, incomplete, or missing data

[Click for data portal technical issues/questions](#)
[Click to E-Mail about PAPQC Data Definitions](#)

Congratulations to Sub-Award Cohort 1!

- Geisinger Lewistown Hospital – SUD Screening
- UPMC Hamot, Horizon, Northwest – Spreading Eat, Sleep, Console
- Penn State Health's M.S. Hershey Medical Center and Children's Hospital – SUD Screening and SBIRT
- Temple University Hospital – SUD Screening and Follow-up and Rooming In
- WellSpan York Hospital – NAS Non-pharmacologic bundle

Apply for Round 2 Sub-Awards by June 15

A second round of \$15,000 Sub-Award applications are being reviewed and accepted on a rolling basis by **June 15, 2020** to support NAS or OUD quality improvement work between April 2019 and June 15, 2020.

Estimated Number of Sub-Awards: 9

Application: https://www.whamglobal.org/images/PAPQC/PA-PQC-Sub-Awards-Application_Second-Round.pdf

Additional Virtual Trainings

<https://www.whamglobal.org/member-content/additional-trainings>

ASAM Buprenorphine Waiver Trainings for Women's Health Providers


1. August 26 from 8:00 a.m. to 12:30 p.m.
2. September 30 from 8:00 a.m. to 12:30 p.m.

AccessMatters' Implicit Bias Trainings

Contraceptive Care Counseling

Motivational Interviewing Strategies

PA's AIM Application



6/11 Learning Objectives

- Discuss the collective **impact and progress** of the PA PQC
- Describe how the **PA PQC Data Portal** has been updated to facilitate data reporting
- Describe examples of how PA PQC sites are **implementing quality improvement** projects related to maternal OUD and Neonatal Abstinence Syndrome (NAS)
- Describe how to introduce and provide feedback on **substance misuse screens**, using motivational interviewing principles
- Describe the protocols, strategies, and quality and safety measures for adopting **Eat, Sleep, Console** for Neonatal Abstinence Syndrome
- Discuss how to support the role of **doulas** on maternity care teams

Continuing Education Information

In support of improving patient care, this activity has been planned and implemented by the University of Pittsburgh and The Jewish Healthcare Foundation. The University of Pittsburgh is jointly accredited by the **Accreditation Council for Continuing Medical Education (ACCME)** and the **American Nurses Credentialing Center (ANCC)**, to provide continuing education for the healthcare team. **5.00 hours are approved for this course.**

As a Jointly Accredited Organization, University of Pittsburgh is approved to offer social work continuing education by the **Association of Social Work Boards' (ASWB)** Approved Continuing Education (ACE) program. Organizations, not individual courses, are approved under this program. State and provincial regulatory boards have the final authority to determine whether an individual course may be accepted for continuing education credit. University of Pittsburgh maintains responsibility for this course. Social workers completing this course receive **5.00 continuing education credits.**

Disclosures

No members of the planning committee, speakers, presenters, authors, content reviewers and/or anyone else in a position to control the content of this education activity have relevant financial relationships with any entity producing, marketing, re-selling, or distributing health care goods or services, used on, or consumed by, patients to disclose.

Disclaimer

The information presented at this Center for Continuing Education in Health Sciences program represents the views and opinions of the individual presenters, and does not constitute the opinion or endorsement of, or promotion by, the UPMC Center for Continuing Education in the Health Sciences, UPMC / University of Pittsburgh Medical Center or Affiliates and University of Pittsburgh School of Medicine. Reasonable efforts have been taken intending for educational subject matter to be presented in a balanced, unbiased fashion and in compliance with regulatory requirements. However, each program attendee must always use his/her own personal and professional judgment when considering further application of this information, particularly as it may relate to patient diagnostic or treatment decisions including, without limitation, FDA-approved uses and any off-label uses.

Wrap-Up

Pauline Taylor, CQIA
Program Specialist,
Jewish Healthcare Foundation

You have support!

The QI coach, in collaboration with your team:

- Coaches teams on how to apply QI concepts, methods, and tools
- Facilitates structured development of your team's QI plan
- Provides feedback on QI plans (including challenges)
- Discusses data collection approaches
- Connects teams to PQC materials and resources

New Credentialing Guidelines:

1. **PLEASE** complete the electronic evaluations by Thursday, Wednesday, June 18
<https://www.surveymonkey.com/r/FB3BKB5>
2. Please indicate on the evaluation which CEUs you are requesting: CME, CNE or Social Worker credits.
3. The UPMC Center for Continuing Education will follow up with you, via email, after Wednesday, June 18 to notify you about how you can claim your credits.

Register for future Learning Collaboratives and Virtual QI Collaborative Sessions

(<https://www.whamglobal.org/member-content/register-for-sessions>)

July 8 11am to 12pm	QI Collaborative Virtual Meeting
August 12 11am to 12pm	QI Collaborative Virtual Meeting
September 3 830am to 4pm	Learning Collaborative
October 14 11am to 12pm	QI Collaborative Virtual Meeting
December 16 830am to 4pm	Learning Collaborative

Thank You!

PA PQC

www.whamglobal.org/papqc
papqc@whamglobal.org

NEPaPQC

www.nepapqc.org
nepapqc@geisinger.edu

Frequently Asked Questions: https://www.whamglobal.org/images/PA_PQC_FAQ.pdf